

Swiss Viva Grand S



- ⊗ Power wheelchair Swiss VIVA Grand S
Length with legrests 97 cm
Width 63 cm
Loading capacity 120 kg

005.40.4010

€
22'890.00

☐ Quotation request

☐ Order

Company:

Street:

Place, post code:

Phone:

Customer ref.:

E-mail:

Delivery address:

☐ same as above

Company:

Date:

Street:

Place, post code:

Signature :

Base configuration

- Individual wheel suspension (adjustable)
- Charger
- LED lighting
- Transportation fixtures
- Batteries C5/66Ah
- Minilift (0-12 cm)
- Comfort armrests reclining with backrest and flip back
- Dynamic kneepads multi-adjustable
- Powered backrest recline, length compensating
- Powered verticalisation
- Powered tilt-in space
- Powered central legrest


☐ Standard

☐ Option

Voluntary customer data*

Height:
Weight:

Indication :
Health insurance:



Preise ex. Mwst

€

1 Base configuration

Seat width (measure 1)

☐ 38 to 48 cm (continuously adjustable)

adjusted to: _____

Seat depth (measure 6)

☐ 43.5 cm ☐ 46 cm ☐ 48.5 cm ☐ 51 cm

☐ Combi-package - special seat depth plus EPM, tilt in space reduced to 15°

25.3078

5'950.00

☐ 53.5 cm ☐ 56 cm ☐ 58.5 cm

Seat frame height (without cushion)

☐ 49.5 cm (with EPM/Lift +1.5 cm)

(Using standard SKS seat cushion, seat height = seat frame height plus 4 cm)

Colour set, fabric

☐ black matt finished ☐

☐ frame in special colour: _____

25.3051

290.00

☐ wheel rim in special colour: _____

25.3052

140.00

☐ Spacer fabric 3D black, air circulating

☐ leatherette black

☐ real leather

25.3055

220.00

☐ Armrests only

2 Seating

Powered seat functions

<input type="checkbox"/> EPM (Enhanced Positioning Module, seat height +1.5 cm)	005.20.0315	2'450.00
<input type="checkbox"/> Seat cushion powered to be advanced(<100mm)	22.0399/22.0379	2'650.00

Seat cushioning

<input type="radio"/> Anatomic cushioning		
<input type="checkbox"/> Comfort: incl. Tightening belts and extra latex cushioning	20.0035	895.00
<input type="checkbox"/> Board only (for use of anti-decubitus cushions)		
<input type="checkbox"/> Cushion: <input type="checkbox"/> VARILITE® Meridian <input type="checkbox"/> other		
<input type="checkbox"/> VARILITE® Zoid		
<input type="checkbox"/> Upholstery filling sealed	verhauten	165.00
<input type="checkbox"/> Removable seat cover	25.3066	180.00
<input type="checkbox"/> w/o seat board (fixtures are delivered)		

3 Backrest

Upper body restraint

<input type="radio"/> Upper body H-belt		
<input type="checkbox"/> Cross bar		
<input type="checkbox"/> Upper body belt with snap-buckle		
<input type="checkbox"/> Retraction bars with integrated headrest		
<input type="checkbox"/> Retraction bars electrically swing away with integrated headrest		
<input type="checkbox"/> Table transparent, 600 x 450 mm (width x depth) to be swivelled out	P010-61/62	330.00
<input type="checkbox"/> Table electrically swing away	35.3059	250.00
<input type="checkbox"/> Plug-in mini-table	001.20.0913	960.00

Backrest cushioning

<input type="radio"/> Standard back with slight contour (height 40 cm)		
<input type="checkbox"/> Anatomic curved shell for trunk support (3D-spacer), tunable in width	001.20.0433	960.00
<input type="checkbox"/> w/o lumbar support <input type="checkbox"/> with lumbar support		
Backshell height		
<input type="checkbox"/> 40 cm <input type="checkbox"/> 48 cm		
<input type="checkbox"/> longer trunk support wings (std 10 cm) <input type="checkbox"/> 15 cm <input type="checkbox"/> 18 cm <input type="checkbox"/> 22 cm	005.20.0431	320.00
<input type="checkbox"/> Thermal bridge	005.20.0406	80.00
<input type="checkbox"/> VARILITE® ICON™	70.1129	1'105.00
<input type="checkbox"/> w/o backrest (incl. holders for 3rd party backrest)		

4 Armrests

Armrest height from seat frame

<input type="radio"/> Standard pluggable		
<input type="checkbox"/> Armpads retractable	005.20.0303	655.00
<input type="checkbox"/> Elbow shells		
<input type="checkbox"/> Armpad concave	005.20.0023	62.00
<input type="checkbox"/> left <input type="checkbox"/> right		
<input type="checkbox"/> Armpad with side support	005.20.0024	85.00
<input type="checkbox"/> left <input type="checkbox"/> right		
<input type="checkbox"/> Hemiplegic shell	30.8002	auf Anfrage
<input type="checkbox"/> left <input type="checkbox"/> right		
<input type="checkbox"/> with pivot joint for individual arm positioning		
<input type="checkbox"/> Arm or thigh support according to separate sketch		auf Anfrage

5 Legrests

Legrest type

- | | | | | | |
|--|---|-----------------------------------|------------------------------------|-------------|-----------------|
| <input type="radio"/> Dynamic kneepads plug-in | <input type="checkbox"/> shells 3 cm longer | <input type="checkbox"/> onesided | <input type="checkbox"/> bothsided | | |
| <input type="checkbox"/> Dynamic kneepads electromagnetic lock | | | | 005.20.0510 | 850.00 |
| <input type="checkbox"/> Dynamic Kneepads powered swing away (SKS Speical) | | | | 25.3068 | 2'450.00 |
| <input type="checkbox"/> Upper leg supports, easy to remove | | | | 005.20.0520 | 460.00 |
| <input type="checkbox"/> Footplate powered lowerable (SKS Special) | | | | 25.3067 fb | 3'950.00 |

Lower leg lenght (watch seat height)

- ☐ Lower leg length 36 bis 49 cm (with EPM 55 cm) **adjusted to cm**

Footplate (aluminium, angle adjustable on 2 axes)

- | | | | |
|--|--------------------------------------|-----------------|-----------------|
| <input type="checkbox"/> Footrests, one per foot individually foldable | | 005.20.0309-Duo | 590.00 |
| <input type="checkbox"/> standard (270 mm) | <input type="checkbox"/> large (363) | | |
| <input type="checkbox"/> Limiting switch on footplate to prevent floor collision | | 22.0172-3 | 385.00 |
| <input type="checkbox"/> Power elevating foot plate | | 22.0242 | 2'950.00 |

6 Wheels, tires and frontcaster lock

- ☒ black non-marking

Rear wheels (block profile)

- | | | |
|---|---------|-------|
| <input type="radio"/> Air (with tube sealant) | | |
| <input type="checkbox"/> Full (polyurethane) | 20.0620 | 35.00 |

Front wheels

- | | |
|---|--|
| <input type="radio"/> Full (polyurethane) | <input type="checkbox"/> Air (with tube sealant) |
| <input checked="" type="checkbox"/> Small 230 x 61 | |

Front caster lock

- | | | |
|--|---|-----------------|
| <input type="checkbox"/> Electromagnetic front caster lock | 005.20.0305 | 1'150.00 |
| <input type="checkbox"/> Operated via extra switch (not via control panel) | | |
| <input type="checkbox"/> on control panel side | | |
| <input type="checkbox"/> opposite control panel | <input type="checkbox"/> opposite underneath armpad | |
| <input type="checkbox"/> Switch placed according to special sketch | | auf Anfrage |

7 Control equipment

Remote control

- ☐ R-Net Standard CJSM1 flat with LCD-Display)
- ☐ R-Net Advanced CJSM2 (large LCD-Display includes Bluetooth) 30.3207 980.00
- ☐ Heavy Duty model (CJSM1 or 2) M002-24/M002-44 980.00
- ☐ R-Net OMNI II colour display incl. infrared capabilities, bluetooth and USB charging 30.3245 **2'450.00**
- ☐ other: auf Anfrage
- ☐ Activate theft prevention function

Joystick module mounting

- ☐ left ☐ right
- ☐ Standard (pluggable, length adjustable)
- ☐ Swivel back and down 005.20.0910 320.00
- ☐ Swivel back and down with rear stopper 005.20.0910 Anschlag 420.00
- ☐ Endposition inside (shorter upper leg upholstery) 005.20.0910 Endposition
- ☐ Electrically swivelling unit (sep. measures required) 25.3058 auf Anfrage
- ☐ other: auf Anfrage
- ☐ Joystick module alternatively mountable on the back for attendand 25.3046 185.00

Joystick shape

- ☐ Cylinder (standard)
- ☐ Ball, diameter 30 mm 004.20.0950 29.00
- ☐ Ball, diameter 40 mm 004.20.0951 29.00
- ☐ Golfball 001.20.0952 45.00
- ☐ Tetraplegia bail 22.6002 95.00
- ☐ Joystick shape according to sketch auf Anfrage

External switching for on/off and mode (up to 3 switches)

- ☐ Twister (x 17 mm) 001.22.0062 480.00

Please, sketch position

External switches for direct control of actuators

- ☐ Switch module ☐ Push buttons (6 channels) 30.3241/42 890.00
- ☐ left ☐ right ☐ Toggle switches (5 channels) 30.3231 980.00

Special control

- ☐ Table with turnable joy stick module in the middle 22.0915 **2'950.00**
 - table swivelling to the ☐ left ☐ right
 - Distance between back and belly: _____
 - ☐ Version power turnable, swivelling to the left 001.20.0918 **5'850.00**
- ☐ Special Joysticks
 - ☐ SKS SJ 650 HD (Force 650g, sockets for 2 switches) P002-73/77 **1'945.00**
 - ☐ SKS SJ 250 (Force 250g, sockets for 2 switches) P002-71/75 890.00
 - ☐ SKS SJ 120 (Force 120g, sockets for 2 switches) P002-72/76 **1'790.00**
 - ☐ SKS SJ 50 (Force 50g, sockets for 2 switches) P002-6x **1'980.00**
 - ☐ SKS SJ 10 (Force 10g, no sockets) P002-5x **2'180.00**
- ☐ Chin control unit 001.20.0905 **3'130.00**
- ☐ Head control with proximity sensors 001.20.0929 **4'200.00**
- ☐ Puff and sip device 001.20.0906 auf Anfrage
- ☐ Foot-control 001.20.0901 **2'105.00**
- ☐ Bluetooth 001.20.0926
 - ☐ PC, Android ☐ i-Devices 980.00
- ☐ Dual port USB-Charger, 3 Amps P010-61/62 330.00
- ☐ Generic Mobile holder 35.3059 250.00
- ☐ Attendant control 001.20.0913 960.00
- ☐ Attendant control, Scootcontrol (handlebar) 001.20.0932 2069.00
- Mounting bracket swing-out for Scootcontrol 001.20.0937 480.04
- ☐ Remote emergency stop 20.0101 940.00
- ☐ System with gyro 30.3209 **1'290.00**
- ☐ Smartglass-Control "Munevo Drive" 25.3080 6'872.00
- Mounting, configuration and commissioning 25.3080inbetrieb 690.00

8 Transportation fixture and Charging

Transport

<input type="checkbox"/> Dahl docking fitting set incl. wheelchair adaptation	20.0405	1005.00
<input type="checkbox"/> Dahl Docking Station MK II	20.0404	2340.00

Charger


- ☒ External charging device

9 Accessories

<input type="checkbox"/> Headrest small 90 mm, multi-adjustable	005.25.3020	545.00
<input type="checkbox"/> with quick release handles for easy adjustment	005.25.3020 kl	680.00
<input type="checkbox"/> Headrest large 130 mm, multi-adjustable	005.25.3021	545.00
<input type="checkbox"/> with quick release handles for easy adjustment	005.25.3021 kl	680.00
<input type="checkbox"/> Abduction block, mounted with special fixture	005.20.1206	185.00
<input type="checkbox"/> Heel loops	25.3011	60.00
<input type="checkbox"/> Instep bands with quick-release buckles and upholstery	30.4835	85.00
<input type="checkbox"/> Heel shells with instep band	25.3013	115.00
<input type="checkbox"/> Calf strap (5cm) incl. fixture, with velcro closure	003.20.1211	88.00
<input type="checkbox"/> Seatbelt with easy snap buckle:	25.3081	145.00
<input type="checkbox"/> Glass table transparent, 600 x 450 mm (width x depth) to be swivelled out to the left or right; swivels out opposite to the control panel side	001.20.1218	auf Anfrage

Distance between back and belly:

Indicate distance x!



<input type="checkbox"/> Backbag SKS		65.3061	79.00
<input type="checkbox"/> Bag below armrest SKS		65.3062	69.00
<input type="checkbox"/> Transfer handles, indicate position		25.3057	auf Anfrage
<input type="checkbox"/> Medical device platform, indicate measures		25.3065	650.00
<input type="checkbox"/> Rearview mirror mounted on special swivel-down unit	<input type="checkbox"/> left	001.20.1216/25.3004	265.00
<input type="checkbox"/> Cane fixture (for 2 canes), mounted on the rear	<input type="checkbox"/> right	001.20.1209	145.00
<input type="checkbox"/> Snap-hook system for respirator system		005.20.1207	225.00

10 Shipment and delivery

<input checked="" type="checkbox"/> Shipment, packaging und customs	Transk	
<input checked="" type="checkbox"/> Be aware of the fact that the VAT is to be added, yet incurred separately by the customs authority.	MwSt Export	
<input type="checkbox"/> Delivery support by SKS-employee	25.3054	495.00
	25.3054kl	450.00
<input checked="" type="checkbox"/> Prices are ex VAT and ex. works		

Sketch positions, details and specials
